

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	21	("702"/\$.ccls. or "327"/\$.ccls. or "374"/\$.ccls.) and (temperature with measur\$6) and (signals with channel) and (junction with temperature with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 23:44
L3	0	L2 and ((deassert\$3 assert\$3) with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 23:44
S1	2	(temperature with measur\$6) and (signals with channel) and (dual with junction with temperature with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 11:26
S2	2	"6149299".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:15
)			US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S3	2	"6008685".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 23:33
S4	0	("702"/\$.ccls. or "327"/\$.ccls.) and (temperature with measur\$6) and (signals with channel) and (dual with junction with temperature with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 11:27
S5	8	("702"/\$.ccls. or "327"/\$.ccls.) and (temperature with measur\$6) and (signals with channel) and (junction with temperature with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 23:20
S6	2	"6612738".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 11:32

S7	8	("702"/\$.ccls. or "327"/\$.ccls.) and (temperature with measur\$6) and (signals with channel) and (junction with temperature with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 23:37
S8	2	S7 and (current with control\$4 with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 23:22
S9	0	S8 and ((deassert\$3 assert\$3) with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 23:44
S10	0	S8 and ((different with voltage) same (current with control\$4 with signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 23:28
S11	2	S8 and (different with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 23:28
S12	0	"6008685".pn. and (buffer with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 23:33
S13	0	S7 and (buffer with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 23:38
S14	0	(temperature with measur\$6) and (signals with channel) and (junction with temperature with sensor) and (current with control\$4 with signal) and ((deassert\$3 assert\$3) with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 23:38

S15	21	("702"/\$.ccls. or "327"/\$.ccls. or "374"/\$.ccls.) and (temperature with measur\$6) and (signals with channel) and (junction with temperature with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 23:45
S16	0	S15 and (current with control\$4 with signal) and ((deassert\$3 assert\$3) with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 23:38
S17	0	S15 and (buffer with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 23:38